

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	5536	((file\$1 document\$1 record\$1) same (search43 retriev\$3 brows\$3 quer\$3)) AND ((user NEAR3 input) WITH plurality)	US- PGPUB; USPAT
2	BRS	L2	3	1 and (stor\$3 same (search request result\$1))	US- PGPUB; USPAT
3	BRS	L3	3980	1 and database	US- PGPUB; USPAT
4	BRS	L4	4	queu\$3 same (search request result\$1)	US- PGPUB; USPAT
5	BRS	L5	330	3 and 707/3.ccls.	US- PGPUB; USPAT
6	BRS	L6	182	3 and 707/10.ccls.	US- PGPUB; USPAT
7	BRS	L7	192	3 and 707/104.1.ccls.	US- PGPUB; USPAT
8	BRS	L8	117	3 and 709/203.ccls.	US- PGPUB; USPAT
9	BRS	L9	28	3 and 707/7.ccls.	US- PGPUB; USPAT
10	BRS	L11	13	(@ad < "19991511" @rlad <"19991115") and (court NEAR3 case).ab.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
11	BRS	L12	235	(@ad < "19991115" @rlad <"19991115") and (court NEAR3 case)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L14	9	(@ad < "19991115" @rlad <"19991115") and (court NEAR3 case) AND ((user NEAR3 input) WITH plurality)	US- PGPUB; USPAT
13	BRS	L16	2020	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L17	2020	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L18	1750	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3)	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
16	BRS	L20	1450	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3)	USPAT
17	BRS	L21	592	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3) AND (databse data-base (data ADJ base) collection)	USPAT
18	BRS	L22	390	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3) AND (databse data-base (data ADJ base) collection) AND record	USPAT
19	BRS	L24	511	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH batch)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L10	17	(@ad < "19991511" @rlad <"19991511") and (court NEAR3 case).ab.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L15	24	(@ad < "19991115" @rlad <"19991115") and (court NEAR3 case) AND (((user NEAR3 input) quer\$3) WITH plurality)	US- PGPUB; USPAT
22	BRS	L13	380	(@ad < "19991115" @rlad <"19991115") and (court NEAR3 case)	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
23	BRS	L25	367	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH batch)	USPAT
24	BRS	L23	514	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3) AND (databse data-base (data ADJ base) collection) AND record	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
25	BRS	L19	1750	(@ad < "19991115" @rlad <"19991115") AND ((search\$3 brows\$3) WITH queu\$3)	US- PGPUB; USPAT
26	BRS	L26	28	(kraft adj Harold).in.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B